

## DESCRIPTION

[Automatic Tea Bag Packing Machine Tea Bags Packer](#) is a highly intelligent packing machine, it has high speed, high efficiency, small malfunction, etc., the machine is an ideal tool for finished tea packing.

## ADVANTAGE

[Automatic Tea Bag Packing Machine](#) suitable to oolong tea, black tea, green tea and so on, and it also suitable for the small quantity of large numbers of particles in the subcontract.

1. Adopt a combined type working, convenient operation;
2. A bag length adjustment device, bag length can be regulated at any time, saving material;
3. Machine can pack plastic bag, nylon bag, Non woven bag and other many kinds bags.

## SPECIFICATION

[Small tea bag packing machine](#) specification list:

Model	DL-6CND-16
Bag width	70 mm
Bag length range	35-100 mm
Bag roll width	160 mm
Final bag width	70 mm
Work efficiency	6 kg/h (7g)
Operating Voltage	220 V
Dimensions	450*560*920 mm
Speed	30-40 bags/minute


If you have special need, it can be customized according to the needs of customers.

## PHOTOS

**Assistant**  
...Deli Tea Machine

1. 功率 1.5kw  
2. 105x200mm

## Tea Bag Packer DL-6CND-16



Voltage : 220V 50HZ  
Power : 0.5 kw  
Bag Width : 70mm  
Bag Length : 35-100mm  
Plastic/Nylon/Filter Paper Bags

All stainless steel  
30-40 bags / minute  
Tea Weight : 1-20 gram

**L:45cm W:56cm H:150cm**

Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767









## CONTACT

**If you are interested in this product, please contact us to get the price.**



**↑ ↑ Click the icon to get the latest price directly ↑ ↑**

---



Quanzhou Deli Agroforestry Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓